Loewe Connect ID
46 DR+/46

Set-up options

Wall Mount Slim/VESA Size 400, Chrome Silver
W 106.4 / H 67.4 / PD 6.6 / TD 9.1
Flat mounting
Wall Mount WM 62, Chrome Silver
W 106.4 / H 67.4 / PD 6.6/ TD 10.5
Convenient mounting, adjustable incline (+2° or 0°)

Wall Mount Isoflex[1], Aluminium
W 106.4 / H 67.4 / PD 6.6 / TD 13.6 to 50.5
Flexible solution, folds flat, can be pulled out straight, rotated and pivoted, adjustable incline (+2° to 0°), intelligent cable management

Table Stand Connect ID Comfort, Aluminium
W 106.4 / H 70.1 / PD 6.6 / TD 25.0
Manually rotatable (+/–20°), adjustable incline (+1° to –5°)

Table Stand Connect ID Dynamic, Aluminium
W 106.4 / H 68.2 / PD 6.6 / TD 24.1
Fixed position, –10° incline

Table Stand Connect ID Tableau[3],
Porcelain or Walnut
Dimensions: on request
Manually rotatable (+/–20°), adjustable incline (+1° to –5°), TV positioned to the left, optionally available with free standing original Rosenthal vase

Loewe Rack[2]
Different versions, sizes and colours available to match Loewe TV, sound system and equipment

Contents: Assist 1 system remote control, aluminium, incl. batteries.
N.B. Set-up options are not included in ex-works delivery. Some products are depicted with optional accessories.

Dimensions in cm: W = Width, H = Height, PD = Product Depth, TD = Total Depth, BP = Diameter/Dimensions of Base Plate.
[1] Only in conjunction with VESA Size 400 adapter. [2] Only in conjunction with a corresponding adapter, to be ordered separately.
[3] Porcelain Tableau expected to be available from autumn 2012.

TV
Versions

	Model	Article no.	EAN Code
Black+High Gloss Black	46 DR+	51464 W 44	4011880136624
	46	51464 W 84	4011880136747
White+High Gloss Black	46 DR+	51464 Y 44	4011880139922
	46	51464 Y 84	4011880140027
Silver+High Gloss Black	46 DR+	51464 T 44	4011880136617
	46	51464 T 84	4011880136730
Beige+High Gloss Black	46 DR+	51464 V 44	4011880139939
	46	51464 V 84	4011880140034
Green+High Gloss Black	46 DR+	51464 G 44	4011880139946
	46	51464 G 84	4011880140041
Orange+High Gloss Black	46 DR+	51464 I 44	4011880139953
	46	51464 I 84	4011880140058
Black+High Gloss White	46 DR+	51464 Z 44	4011880139960
	46	51464 Z 84	4011880140065
White+High Gloss White	46 DR+	51464 U 44	4011880136631
	46	51464 U 84	4011880136754
Silver+High Gloss White	46 DR+	51464 F 44	4011880139977
	46	51464 F 84	4011880140072
Beige+High Gloss White	46 DR+	51464 P 44	4011880139984
	46	51464 P 84	4011880140089
Green+High Gloss White	46 DR+	51464 H 44	4011880139991
	46	51464 H 84	4011880140096
Orange+High Gloss White	46 DR+	51464 J 44	4011880140003
	46	51464 J 84	4011880140102

LOEWE.

Loewe Connect ID
46 DR+/46

Set-up options

Floor Stand Connect ID, Aluminium
W 106.4 / H 111.2 / PD 6.6 / BP 53.0
Manually rotatable (360°), adjustable incline
(0° to –2.5°), concealed cable routing

Floor Stand Connect ID with Equipment board,
Aluminium, Glass, W 106.4 / H 111.2 / PD 6.6 / BP 53.0
Manually rotatable (360°), adjustable incline
(0° to –2.5°), positioning of 2 equipment products,
concealed cable routing

Floor Stand 8[2], Aluminium Silver
W 106.4 / H 112.1 / PD 6.6 / BP 56.0
Manually rotatable (+/–45°), adjustable incline
(+2° to –4°), concealed cable routing

Floor Stand Universal[2], Aluminium Silver
W 106.4 / H 110.9 / PD 6.6 / BP 50.0
Manually rotatable (+/–45°), adjustable incline
(+1° to –5°), concealed cable routing

Screen Lift Plus[1], Brushed Aluminium
W 106.4 / H 300.0 / PD 6.6 / TD 21.8
Manually rotatable (+/–90°), adjustable incline
(0° to –5°), concealed cable routing

Wall Stand Flex[1], Brushed Aluminium
W 106.4 / H 180.4 / PD 6.6 / TD 30.0
fixed mounting at any height, adjustable incline
(–2° to +2°), intelligent cable management

Contents: Assist 1 system remote control, aluminium, incl. batteries.
N.B. Set-up options are not included in ex-works delivery. Some products are depicted with optional accessories.

Technical features



Dimensions in cm: W = Width, H = Height, PD = Product Depth, TD = Total Depth, BP = Diameter/Dimensions of Base Plate.
[1] Only in conjunction with VESA Size 400 adapter. [2] Only in conjunction with a corresponding adapter, to be ordered separately.

LOEWE.

Technical information
Loewe Connect ID

	46 incl. DR+ HD TV 1080p	46 HD TV 1080p
Image+ (Image)		
Contrast filter panel / 3D glass panel / high gloss frames	— / — / ●	— / — / ●
Display technology	Full-HD-LCD with E-LED backlight	Full-HD-LCD with E-LED backlight
Screen diagonal (in cm) / screen diagonal (in inch) / Picture format / Resolution (in pixels)	117 / 46 / 16 : 9 / 1.920 x 1.080	117 / 46 / 16 : 9 / 1.920 x 1.080
Brightness (in cd/m²) / Viewing angle (horizontal/vertical)	400 / 178° / 178°	400 / 178° / 178°
Contrast (static/dynamic)	6,000:1 / 6,000,000:1	6,000:1 / 6,000,000:1
Response time (in ms) /Picture repetition rate	5 / 200Hz	5 / 200Hz
Fully digitised signal processing / Image+ Active / 24 p motion picture display	● / ● / ●	● / ● / ●
3D technology / 2D-3D conversion / Active Glasses 3D	● / ● / o	● / ● / o
Format options [1] 16 : 9, 4 : 3, Panorama, Zoom	●	●
Video auto-dimming (VBD+) / Interior auto-dimming (OPC) / home Mode	● / ● / ●	● / ● / ●
Sound+ (Audio)		
Output in W (music/sine)	2 x 10 + 1 x 20 / 2 x 20 + 1 x 40	2 x 10 + 1 x 20 / 2 x 20 + 1 x 40
Closed 2-way speakers / DFW sound system [2] / CRX® sound system	Open twin driver / ● / —	Open twin driver / ● / —
Individual bass and treble control / Volume / Sound effects	● / ● / ●	● / ● / ●
Automatic voice detection / Automatic Volume Control (AVC)	● / ●	● / ●
Dolby Digital Plus / dts / 5.1 Out / Two-channel	● / ● / ● / ●	● / ● / ● / ●
Audio out available: variable / fixed / Subwoofer	● / ● / ● (via Audio Link)	● / ● / ● (via Audio Link)
Digital+ (Television standards)		
DVB-T / DVB-T2 / DVB-C / DVB-S2 / Multistandard (analogue) / Dual Channel	● / o [12] / ● / ● / ● / ●	● / o [12] / ● / ● / ● / —
A/V-Decoding: MPEG / MPEG2 / MPEG4 / integrated HDTV reception [3]	● / ● / ● / ●	● / ● / ● / ●
Colour standard: PAL / Secam / NTSC / NTSC-V / PAL-V (60 Hz)	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Audio standard: Two-channel FM / AM, Nicam	● / ●	● / ●
Assist+ (Operation)		
Automatic Channel Programming (ACP) / Channel recognition	● / ●	● / ●
Programme positions including AV and radio	6,000	6,000
Radio reception	DVB radio	DVB radio
Digital Link Plus / Digital Link HD	● / ●	● / ●
Video text Level 2.5 / TOP-Video text / FLOF-Video text / Page memory	● / ● / ● / 2,000	● / ● / ● / 2,000
Personalised Video text with direct access to favorites / bookmarked pages	● / ●	● / ●
PIP (AV) [4] / Full PIP [5] / iPIP / Splitscreen TV : Video text	● / ● / ● / ●	● / — / ● / ●
Electronic Program Guide (EPG)	●	●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Electronic Instruction Manual / Menu languages [6]	● / 19	● / 19
Index / Context Related Help	● / ●	● / ●
Media+ (Multimedia functions)		
DR+ / storage capacity in GB / USB recording	● / 500 / ●	— / — / ●
DR+ Streaming server / client	● / ●	— / ●
MediaHome (photos, music and video via home network / USB)	● / ●	● / ●
MediaNet (Internet portal / browser / Internet radio / Internet video)	● / ● / ● / ●	● / ● / ● / ●
MediaText (HbbTV) / MediaUpdate	● / ●	● / ●
Connectivity+ (Connectors)		
HDMI with HDCP / USB / Component (YUV) In [7]	3 (HDMI 1 with ARC) / 2 / o	3 (HDMI 1 with ARC) / 2 / o
Euro-AV (Scart) / S-VHS, Hi-8 / RGB	Mini-Scart / 1 / 1	Mini-Scart / 1 / 1
Copy function Front-AV to Euro-AV	●	●
Digital Audio-In (Cinch) / Digital Audio-Out (Cinch) / Analogue audio-out (L/R)	● / ● / o [13]	● / ● / o [13]
Analogue audio link (Loewe 5.1 System Out, Stereo Out, Sub Out, Center In)	●	●
VGA / RS 232 C (RJ12) / Motor control / IR-Link / L-Link	● / o / o / o / o	● / o / o / o / o
Side AV Video-/S-VHS, Hi-8-ready / Headphone (jack 3.5 mm)	● / ● / ●	● / ● / ●
Common Interface CI / CI Plus certified [8]	2 / ●	2 / ●
LAN network connection / integrated WLAN	● / ●	● / ●
Environment		
EU energy efficiency class / Annual energy consumption (kWh) [9]	A / 110	A / 107
Power consumption in stand-by mode / off (in W)	0,37 / 0	0,37 / 0
Power consumption „ON“ [10] (in W) / Peak luminance ratio in %	79.0 / 65.0	77.0 / 65.0
Mercury content in mg / contains lead [11]	0.0 / traces	0.0 / traces
Miscellaneous		
Weight in kg	21.9	21.8
Power switch / Mains voltages	● / 220–240 V, 50/60 Hz	● / 220–240 V, 50/60 Hz
VDE-safety standard (inspection seal)	●	●

● = included/installed o = upgradeable/optional

[1] Dependent on SD/HD input format.
[2] DFW: Down Firing Woofer. Subwoofer which emits sound downwards.
[3] Reception of digital channels may be limited by individual regulations from the respective broadcaster/provider. UK models are Freeview HD compliant.
[4] On sets without DR+, AV-PIP is only available in combination with DVB-T/C/S.
[5] Not with MPEG4.
[6] D-GB-F-I-E-NL-CZ-GR-PL-H-FIN-SLO-SK-TR-S-DK-P-RUS-N
[7] Using VGA adapter (available from Loewe specialist retail partners).
[8] CI Plus is backwards compatible with CI. Functionality is dependent on module availability from the supplier.
[9] On the basis of four hours of operation per day, 365 days a year. Actual energy consumption depends on the purpose for which the TV is used.
[10] To EN 62087 : 2009.
[11] Traces may occasionally be found in electronic components (in compliance with the recast European RoHS directive).
[12] For the UK, Denmark and Sweden: already included.
[13] Connect ID via Audio Link adapter.